



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres  
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa03ATEX0363X/1**

4 Equipment or Protective System: **RANGE OF 1, 2 & 3 PIECE BALL VALVES**

5 Manufacturer: **Habonim Industrial Valves Limited**

6 Address: **Kfar Hanassi, m.p. Upper Galilee 1, 12305, ISRAEL**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa03ATEX0363X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa (2001) Ltd. Customer Reference No. **5114**

Project File No. **03/0892**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

**Baseefa (2001) Ltd.**

Health and Safety Laboratory Site, Harpur Hill,  
Buxton, Derbyshire SK17 9JN  
Telephone +44 (0) 1298 28255 Fax +44 (0) 1298 28216  
e-mail [info@baseefa2001.biz](mailto:info@baseefa2001.biz) web site [www.baseefa2001.biz](http://www.baseefa2001.biz)  
Registered in England No. 4305578 at 13 Dovedale Crescent, Buxton,  
Derbyshire, SK17 9BJ

**R S SINCLAIR**  
**DIRECTOR**  
On behalf of  
Baseefa (2001) Ltd.



13

### Schedule

14

Certificate Number Baseefa03ATEX0363X/1

15 Description of the variation to the Equipment or Protective System

#### Variation 1.1

To permit the range of 1, 2 & 3 piece ball valves to be used in dust atmospheres. The equipment coding will be as follows:

⊕ II 1GD c/g T6 - T1

16 Report Number

03(CI)0892-1

17 Special Conditions for Safe Use

As listed previously, and as follows:

1. Do not allow dust layers to build up on the equipment. The process fluid temperature shall not exceed the ignition temperature of the dust.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Issue	Date	Description
--------	-------	------	-------------

* CE-ATEX-LABEL	HB	19/11/03	Label
-----------------	----	----------	-------

\* Drawing common to certificate Baseefa03ATEX0362X/1.